



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

53883-443

Date of Issuance:

7/31/18

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

CSI 17-236 F + P Roach Gel Bait

Name and Address of Registrant (include ZIP Code):

Lisa Adamson  
Control Solutions Inc.  
5903 Genoa Red Bluff  
Pasadena, TX 77507

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Catherine Aubee, Chief  
Invertebrate-Vertebrate Branch 1, Registration Division (7505P)

Date:

7/31/18

2. You are required to comply with the data requirements described in the DCI Order identified below:
  - a. Fipronil GDCI-129121-1512
  - b. Fipronil GDCI-129121-1305

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Orders listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
4. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, “EPA Reg. No. 53883-443.”
5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 11/15/2017

If you have any questions, please contact Autumn Metzger at 703-919-7453, or Metzger.autumn@epa.gov.

Enclosure

[Text in brackets and italics are notes to the label editor.]  
[Text in brackets alone are optional statements or alternative statements.]

MASTER LABEL – Unless otherwise noted, all text shown prior to the start of sub-label A will be present on both sub-label A and sub-label B when printed.

# CSI 17-236 F + P Roach Gel Bait

FOR USE IN COMMERCIAL, INDUSTRIAL, AND RESIDENTIAL AREAS [Sub-Label A]  
FOR USE IN RESIDENTIAL AREAS [Sub-Label B]

[Bait Solutions] [CSI Bait Solutions]

**ACTIVE INGREDIENTS:**

Fipronil* .....	0.05%
Pyriproxyfen .....	0.50%
<b>OTHER INGREDIENTS:</b> .....	<u>99.45%</u>
<b>TOTAL:</b>	100.00%

\*CAS Number 120068-37-3



ADAMA

Consumer &  
Professional  
Solutions

**Manufactured for:**  
Control Solutions, Inc.  
5903 Genoa Red Bluff  
Pasadena, TX 77507

EPA Reg. No: 53883-XXX  
EPA Est. No: \_\_\_\_  
Net Contents: \_\_\_\_ 30 g\_\_  
[NOTE TO REVIEWER: to prevent triggering CRP requirements, all packaging will be kept under 28.5 mg fipronil. For example: the max size will be 30 grams or not more than 4 tubes of 7.5 grams will be sold in a box.]



**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

FIRST AID	
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or	

going for treatment. You may also contact SafetyCall® International for emergency medical treatment at (866) 897-8050.

*[Note to label editor: Table format will be used if space allows for the first aid section; otherwise paragraph format will be used.]*

#### **PRODUCT INFORMATION**

CSI 17-236 F + P Roach Gel Bait effectively kills German cockroaches and helps prevent reproduction with the inclusion of the insect growth regulator (IGR), Pyriproxyfen. IGR effects include, inhibited development of nymphs and reproductive adults, sterility of adults, reduced insect fitness, behavioral changes, reduced egg production, deformed insects (twisted wings) and death.

#### **PRECAUTIONARY STATEMENTS**

##### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

##### **Personal Protective Equipment (PPE):**

Applicators and other handlers must wear the following:

- Long-sleeved shirt and long pants
- socks and shoes, and
- waterproof gloves

##### **ENVIRONMENTAL HAZARDS**

This product is toxic to birds, fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area.

##### **PHYSICAL AND CHEMICAL HAZARDS**

Do not use this product in or on electrical equipment where possibility of shock hazard exists. Do not mix or allow contact with oxidizing agents. Hazardous chemical reaction may occur.

## SUB-LABEL A: COMMERCIAL USE LANGUAGE

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use CSI 17-236 F + P Roach Gel Bait as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of German cockroaches in residential areas and the non-food/non-feed areas of institutional, warehousing and commercial establishments, including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, bakeries, beverage plants, breweries, bottling facilities, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, schools, laboratories, computer facilities, sewers, aircraft, buses, boats/ships, trains, homes, houses, industrial buildings, office buildings, kennels, kitchens, manufacturing facilities, spice plants, stores, wineries and similar structures, mausoleums, meat processing and packaging plants, meat and vegetable canneries, pet shops, and zoos. Non-food/non-feed areas include bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as outlined below.

May stain textiles, fabrics, and or porous surfaces.

#### USE RESTRICTIONS:

- Do not treat food preparation surfaces. Keep gel away from foods and food contact surfaces.
- Do not apply bait gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over gel as it may cause the bait to become repellent.
- USE ONLY IN AREAS NOT EASILY ACCESSIBLE TO CHILDREN AND PETS.
- In pet shops and zoos place bait out of reach of pets and zoo animals.

#### APPLICATION DIRECTIONS

**Application rate for all uses:** Application rate varies according to the level of infestation to be controlled. Apply gel as round spots or thin beads into cracks and crevices or as a spot treatment. Place bait close to cockroach harborages, foraging, and feeding areas such as corners and cracks and crevices. Numerous smaller bait placements provide faster control than fewer larger placements. In cases of severe infestation and areas with excessive clutter or alternative food sources that cannot be eliminated, use the higher rate of application.

**German Cockroaches and stored product pests:** For use in maintenance programs where regular applications are made for continuous control of cockroach populations, use 0.75 grams of bait per square yard. This rate will not provide fast control of existing infestations. For light to moderate infestations (or for retreatments), use up to 1.5 grams of bait per square yard. To clean out severe or heavy infestations, use up to 3.0 grams of bait per square yard.

BAIT QUANTITY REFERENCE TABLE	
Approximate weight per spot diameter	Approximate weight per bead length
0.1 gm = 1/4 inch diameter spot	1/3 gram = 1.5 inch bead
1.0 gm = Dime size spot	2/3 gram = 3.0 inch bead
1.5 gm = Quarter size spot	1 1/3 gram = 6 inch bead

Place bait under baseboards, sinks, countertops, seats, around water pipes, water heaters, dishwasher equipment, in crack and crevices as well as voids where insects harbor.

**PANTRY PESTS:** To control exposed, adult stages of beetles: cadelle, cigarette beetle, confused flour beetle, dermestid, drugstore beetle, flat grain beetle, granary weevil, lesser grain borer, lesser mealworm, mealworm, merchant grain beetle, red flour beetle, rice weevil, rusty grain beetle, saw-toothed grain beetle, spider beetle, or warehouse beetle. After removing infested foodstuffs and cleaning up spilled foodstuffs and dust, applications of this product will kill adult stages of beetles remaining in area. Apply in voids, cracks and crevices, behind and under cupboards, and other difficult to reach areas where insects may hide. Application rate is dependent on level of infestation.

**Applications in Food/Feed Handling Establishments:** Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. Application can be made while the facility is in operation. If gel contacts an exposed surface where food is handled, remove gel and wash exposed surface with an effective cleaning compound followed by a potable water rinse prior to use. Apply with bait injector directly into cracks and crevices. Place applicator tip 1/2 inch into cracks, crevices, holes and other small openings where roaches may be a problem. Apply small amounts of gel.

**Use Restrictions in Food/Feed Handling Establishments:**

- Do not apply bait to areas where food/feed, utensils, or processing surfaces may become contaminated.
- Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation, and prepared food holding surfaces as bait may be removed by washing.
- Do not apply bait to surfaces where the temperature exceeds 130°F as bait may run. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes.
- Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves, and other equipment where cockroaches hide. During follow-up visits inspect bait placements and reapply when necessary.

**Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment is not permitted.**

Gel placements should be at or near harborages or aggregation areas, such as corners or cracks and crevices. Numerous smaller placements will provide faster control than fewer larger spots.

**For outdoor use (adjacent to home -or- structure):** Place bait in areas adjacent to structures where roaches may nest or breed. Apply bait to potential points of insect entry, such as eaves, sills, and expansion joints. Apply bait in protected areas whenever possible. Environmental stresses such as

direct sunlight and water will reduce the residual effectiveness. Priority treatment areas may be identified by visual inspection of such areas listed above or aided by trapping techniques or spot flushing.

**Refillable stations:** CSI 17-236 F + P Roach Gel Bait may be placed into refillable bait stations designed for interior or exterior use; when placing bait in stations do not exceed 1 gm (1/5 teaspoon) and do not exceed the capacity of the stations. Close the station securely after application. During follow up visits inspect placements and reapply as needed.

**Directions for loading reservoirs and operation:**

1. With the [teeth of] -or- [arrow on] the drive rod facing up, pull the drive rod all the way back. If the drive rod is initially hard to move, simply un-screw (turn counter-clockwise) the black portion of the applicator that holds the gel reservoir until the drive rod moves easily.
2. Attach a pre-filled reservoir of gel with a twist-locking motion. Remove the outlet cap and attach a dispensing tip. Break-tip Reservoir. Prior to use, break the snip-tip closed end of the gel reservoir at the scored line. After use, the reservoir may be resealed with the enclosed black outlet cap. The black outlet cap is reusable.
3. Turn the knob of the drive rod so that the teeth are facing down and move it slightly forward so that the trigger mechanism will engage. Squeeze the trigger until the drive plunger seats against the piston in the gel reservoir. Gently squeeze the trigger until the gel flows out.
4. If gel continues to flow after the trigger is released, simply un-screw the portion of the bait applicator that holds the reservoir to a point where gel does not continue to flow after the trigger is released.

**Directions for changing reservoirs:** With the arrow on the drive rod pointing up, pull the drive rod out as far as it will go. Remove the empty reservoir and follow instructions in the Storage and Disposal box. Reservoirs that still contain gel can be sealed with the end cap and outlet cap for future use. To attach a new reservoir, follow the above directions.

-or

**For syringe**

**To apply gel:** Remove the cap on the nozzle, touch the tip to cracks and crevices or apply as a spot, and depress the plunger. The bait will adhere to non-greasy or non-dusty surfaces and will remain pliable and palatable to cockroaches as long as it is visibly present. Reapply when bait is no longer visibly present, according to the remaining level of infestation, which is generally at a lower rate (see Application Rate Table) than the initial treatment. A visual inspection of bait placement is recommended at one month after the initial treatment. Reapplication should occur if the bait is visibly depleted.

Pest population reduction will be apparent within 1 day for German cockroaches.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry area out of reach of children.

**PESTICIDE DISPOSAL & CONTAINER HANDLING:**

If Empty: Do not reuse container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

### LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. **CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.**

**To the extent consistent with applicable law, IT IS CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT** in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

## **SUB-LABEL B: CONSUMER USES**

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This ready-to-use gel bait formulation is effective at controlling German cockroaches in homes and residential structures.

#### **USE RESTRICTIONS:**

- Do not treat food preparation surfaces. Keep gel away from foods and food contact surfaces.
- Do not apply bait gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over gel as it may cause the bait to become repellent.
- **USE ONLY IN AREAS NOT EASILY ACCESSIBLE TO CHILDREN AND PETS.**
- Do not apply bait to areas that are routinely washed as bait may be removed by washing.
- Do not apply bait to surfaces where the temperature exceeds 130°F as bait may run. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes.
- Do not apply gel to exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface.
- Do not apply in areas exposed to direct sunlight.

If needed, gel bait deposits may be cleaned up with a damp paper towel or rag, or if dried, use a putty knife to scrape and discard in trash.

#### **WHERE TO USE:**

Indoors in kitchens, bathrooms, basements, garages and laundry rooms as a crack and crevice, spot treatment or bait station application. Apply to areas frequented by cockroaches such as openings leading to voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, and behind and under appliances and cabinets where cockroaches are typically known to hide.

Outdoors as a spot, thin bead or bait station application at pest entry sites such as along windows and doors, sewer areas, adjacent trees that harbor cockroaches, utility entry points, along walls, garbage holding areas, and other locations that serve as harborage for cockroaches. Select bait gel placement locations to help reduce the potential for subsequent human contact.

#### **HOW TO APPLY (DIRECTLY FROM SYRINGE):**

Cockroaches prefer pressure on three sides of their body and spend 75% of their existence living in cracks and crevices. For this reason, syringe applications directly in cracks and crevices will go a long way in eradicating the cockroach population.

For light to moderate infestations, apply 1 to 3 spots of this gel bait per 10 linear feet or one square yard. For heavy infestations, use 3 to 5 spots of gel bait per 10 linear feet or one square yard. Each bait spot should equal about 0.5 grams (1/4" diameter spot).



Figure 1: Spot of gel bait approx. 0.5 gram

For all levels of cockroach infestation, you can also apply this gel bait in lines approximately 1/8-inch wide by 2 inches long. Inspect placements of gel bait periodically and apply fresh bait as needed.



Figure 2: Line of gel bait approximately 1/8 inch by 2 inches

For bait spots or lines:

- Remove cap from syringe tip.
- Place syringe tip at the surface to be treated.
- Apply light pressure to the plunger of the syringe.
- After dispensing gel bait, replace cap on syringe tip.

#### **HOW TO APPLY (USING REFILLABLE BAIT STATIONS):**

For refillable bait stations:

To fill the bait stations with roach gel bait:

- Insert plunger into the open end of the syringe and then remove cap from syringe tip.
- Place tip of the syringe into the hole in the center of the bait station.
- Gently apply pressure to the plunger to fill the empty bait station with two grams of bait. The bait station is properly filled when the gel bait reaches the top of the pie-shaped fill level indicator.
- When bait filling is complete, firmly replace the cap on the tip of the syringe.

Indoors: Place 1 to 4 filled bait stations (hole side up) under sinks, behind appliances, inside cabinets, inside garbage containers, in corners of cupboards, closets, under furniture and other locations where roach activity has been observed.

Outdoors: Place 1 to 4 filled bait stations (hole side up) where roaches are actively foraging for food along exterior walls, near garbage cans and doorway entrances.

Cockroaches will forage for food and can consume the bait within a matter of a few hours. The bait station cap allows for easy inspection of roach activity. When the bait station is empty (or near empty), refill the empty bait station with two more grams of bait.

**Important cockroach baiting reminder:** Whether applying bait as a syringe or as a bait station, keep a fresh supply of bait available for roaches. The clear view cap of the refillable bait station allows for easy inspection of roach activity. Cockroaches can remain active year-round and prefer locations near food and water, and will gravitate to warm indoor locations. Cockroaches are primarily nocturnal feeders.

**UNIT LABEL FOR CSI 17-236 F + P Roach Gel Bait Syringe**  
*[Applicable for both commercial and consumer products]*

**CSI 17-236 F + P Roach Gel Bait**

NOTE: Do not remove this label. Use only in areas not easily accessible to children and pets.

**ACTIVE INGREDIENTS:**

Fipronil .....0.05%

Pyriproxyfen .....0.50%

**OTHER INGREDIENTS:** .....99.45%

**TOTAL:** .....100.00%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** Keep gel away from foods and food contact surfaces. Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash thoroughly with soap and water after handling.

**PESTICIDE STORAGE:** Store in a cool, dry area out of reach of children.

**PESTICIDE DISPOSAL & CONTAINER HANDLING:** **If empty:** Do not reuse container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 53883-XXX

EPA Est. No. \_\_\_\_\_

NET WT. \_\_\_\_ ounces (\_\_\_\_ grams)

May stain textiles, fabrics and/or porous surfaces.

SEE [OUTER CARTON][PACKAGE LABEL] FOR COMPLETE DIRECTIONS AND PRECAUTIONS

***[Optional Marketing Claims for either sub-label:]***

*[Efficacy related]*

- Kills German Cockroaches and Keeps on Killing
- Kills [German cockroaches in 2 ways] by ingestion and contact
- Kills two ways
- Guaranteed to kill German cockroaches (or your money back)
- Guaranteed to work (or your money back)
- Satisfaction Guaranteed (or your money back)
- Controls German cockroaches
- Effectively kills without a trace - - no fumes or odor
- Kills cockroaches where you can't find them
- Kills cockroaches you don't see
- Kills cockroaches you see and [even] those you don't
- Keeps on killing
- German Cockroach control in 2 days
- See visible results overnight
- Starts killing within a day
- Starts killing cockroaches in hours -or- overnight
- Starts killing [cockroaches] overnight and keeps on killing
- Starts working in hours
- **Dual Action kills cockroaches two ways.** Contains Fipronil, which kills roaches by ingestion and contact. During-or- After foraging cockroaches either eat or contact the bait, they return to the harborage and contaminate -or- kill other cockroaches.
- **Kills cockroaches in their harborage.** Inject bait into cracks and crevices or apply as a spot where roaches harbor or enter a structure.
- How it works: This gel bait is attractive to German cockroaches. The handy applicator makes it easy to apply small placements of gel bait.
- Stops German cockroaches before they become a problem
- Works around the clock
- Relief from even severe German cockroach infestations
- Contains an IGR [Insect Growth Regulator]
- Breaks the lifecycle of German cockroaches
- Disrupts normal development of immature German cockroaches
- Prevents development of adult German cockroaches
- Inhibits development of exposed nymphs
- Prevents development of reproductive German cockroaches
- Reduces the population by preventing reproduction
- Effective, clean and easy to use

*[Formulation related]*

- No vapor or fumes
- Combination Chemistry® [from Control Solutions, Inc.]

*[Use Related]*

- For crack and crevice cockroach control
- Use in cracks and crevices

- Use in cracks and crevices against roaches
- Easy to use [apply] [; nothing to activate]
- No messy residue
- No mixing required
- [Designed] [Ideal] for use in kitchens
- For indoor and outdoor (adjacent to home -or- structure) use [cockroach control]
- Works inside and outside (adjacent to home -or- structure)
- Convenient [syringe] applicator
- Precision syringe applicator
- Ready-to-use
- For hard to reach places [such as cracks and crevices]
- Easy way to apply bait
- Gets bait where cockroaches live
- Where to use: In and around homes and other [buildings] [structures] where cockroaches have infested or where they travel to seek food, water or shelter.
- When to use: When cockroaches are observed or there is evidence of an infestation in or around homes and building.
- Roach Killer Gel Bait
- Roach Killer